

- KEY NOTES

  1. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY.
  MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.

  2. PROVIDE A5109, GRAB BAR, THAT COMPLIES WITH AND.

  7. TOUT THAT OF SHAPEN WHICH THAT IS N. E-YAM AND PREP PROMS ARE PROVIDED.
- 3. TOILET MAY BE SHARED WHERE TWO L & D-EXAM AND PREP ROOMS ARE PROVIDED.
- COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
   P3200, UITR ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.
- 6. PROVIDE M4660, STRETCHER, THAT HAS STIRRUPS.
- 7. PROVIDE MONITOR SHELF FOR M7820, FETAL MONITOR.

L & D — EXAM AND PREP & TOILET, UNISEX (LDEP1/TLTU1)

LABOR & DELIVERY/OB UNIT		0	1000 200	0
FLOOR/EQUIPMENT PLAN	21.77 NSM (234 NSF)			
DATE: 07/12/2001		1:50	SCALE (MILLIMETERS)	)